






SEC. A-A



P/N:MIUSB-F5M-BB X -U

Blank:With Peg
0:W/O Peg



| | | | | |
|------|---------|----------------------------------|---|--------------|
| 3 | SHELL | STAINLESS STEEL, T=0.25 | 40u" Min. NICKEL OVER PLATED | |
| 2 | HOUSING | HIGH TEMPERATURE THERMAL PLASTIC | COLOR:BLACK | |
| 1 | CONTACT | COPPER ALLOY, T=0.20 | CONTACT AREA: Au 15u", 30u" Min, SOLDER AREA: Au 3u" Min. | |
| ITFM | DFSC. | MATFRIAL | RFMARKS | PART RFMARKS |

| | | | |
|------|------|--|----------------------|
| | C | Revised the Part No. :MIUSB-F5M-BB-U ->MIUSB-F5MX-BB-U | 2012/10/11 Jeff |
| | B | Revised the Drawing | 2010/08/17 Sinnys |
| AREA | REV. | DESCRIPTION | DATE |

Amtek Technology Co., Ltd.
TEL:886-2-2268-8036
FAX:886-2-2268-8035

| | | | | | |
|----------------------|--------------------------------|-------------|------|----------------|------------|
| 品名 TITLE | MICRO USB B TYPE FEMALE SMT 5P | | | | |
| 品號 PART NO. | MIUSB-F5M-BBX-U | | | 日期 DATE | 2007/05/31 |
| 圖號 DRAWING NO. | MIUSB-F5M-BBX-U | 版本 REV. | C | 繪圖 DRAWN | Kent |
| 客戶品號 CUSTOMER P/N | | 比例 SCALE | FREE | 核對 CHECKED | Paul |
| 公差 TOLERANCE | .X ±0.25 .XX ±0.20 | 單位 UNIT | mm | 核准 APPROVED | James |